



- [4] W. Heinzelman, A. Chandrakasan and H. Balakrishnan, "Energy-Efficient Communication Protocol for Wireless Microprocessor Network," Proceeding of the 33rd Hawaii International Conference on system sciences (HICSS'00) January 2000.
- [5] S.Koteswararao, Dr. M.Sailaja, P. Ramesh, E. Nageswararao, V.Rajesh, "Sensor Network Simulation in NS2.26", IJECT, 2011, pp. 251-254.
- [6] Ravi Kishore Kodali, Naveen Kumar Aravapalli, "Multi-level LEACH Protocol model using NS-3", IEEE, 2014, pp. 375-380.
- [7] S. Lindsey, C. Raghavendra, "PEGASIS:Power Efficient gathering in sensor information systems" Proceeding of IEEE Aerospace conference, pp. 1125-1130, March 2002.
- [8] A. Manjeshwar and D.P. Agrawal. 2001, "TEEN: a routing protocol for enhance energy efficiency in wireless.
- [9] A. Manjeshwar and D.p. Agrawal 2002, "APTEEN: a hybrid protocol for efficient routing and comprehensive information retrieval in wireless sensor network. Parallel and Distributed Processing Symposium, Proceedings International, IPDPS, pp.195-202.
- [10] Jamil Ibriq and Imad Mahgoub, . Cluster-based Routing in Wireless Sensor Networks: Issues Challenges., SPECTS..04, pp. 759-766.
- [11] M. Jiang, J. Li, and Y.C.Tay. "Cluster Based Routing Protocol" Internet Draft, 1999.
- [12] S. Bandyopadhyay and E. J. Coyle, "An Energy Efficient Hierarchical Routing Algorithm for Wireless Sensor Network," IEEE INFOCOM, April 2003.

IJTC.ORG